

S50-1 ROCKER SWITCH

CONTROLS NATURAL INPUTS

■ Applications



■ S50-1 ROCKER SWITCH:

- Rocker switch to control the open/close movement of window actuator.
- Can be used to directly control 230VAC actuators or used as an input for other control units.
- Supplied complete with back box for surface mounting.
- Two, three and four gang versions are available.
- Supplied in white as standard, also available in satin chrome & brass.



TECHNICAL DATA:

CODE	S50-1
VOLTAGE	230VAC
OUTPUT CURRENT	10A
PROTECTION CLASS	IP4X
COLOURS	WHITE / CHROME / BRASS
DIMENSIONS	86 x 86 x 28mm
COMPATIBLE WITH	PS24, RRT230, MCU1, 230VAC ACTUATORS

S60-1 ROCKER SWITCH

CONTROLS NATURAL INPUTS

■ Applications



■ S60-1 ROCKER SWITCH:

- Rocker switch to control the open/close movement of window actuator.
- Can be used to directly control 230VAC actuators or used as an input for other control units.
- Supplied complete with back box for surface mounting.
- Two, three and four gang versions are available.
- Supplied in white as standard, also available in satin chrome & brass.



TECHNICAL DATA:

CODE	S60-1
VOLTAGE	230VAC
OUTPUT CURRENT	10A
PROTECTION CLASS	IP4X
COLOURS	WHITE / CHROME / BRASS
DIMENSIONS	86 x 86 x 28mm
COMPATIBLE WITH	PS24, RRT230, MCU1, 230VAC ACTUATORS

S60-1 ROCKER SWITCH

CONTROLS NATURAL INPUTS

■ Applications



■ S60-1 ROCKER SWITCH:

- Rocker switch to control the open/close movement of window actuator.
- Can be used to directly control 230VAC actuators or used as an input for other control units.
- Supplied complete with back box for surface mounting.
- Two, three and four gang versions are available.
- Supplied in white as standard, also available in satin chrome & brass.



TECHNICAL DATA:

CODE	S60-1
VOLTAGE	230VAC
OUTPUT CURRENT	10A
PROTECTION CLASS	IP4X
COLOURS	WHITE / CHROME / BRASS
DIMENSIONS	86 x 86 x 28mm
COMPATIBLE WITH	PS24, RRT230, MCU1, 230VAC ACTUATORS

WIRING DIAGRAM

TYPICAL SWITCH CONNECTIONS

- S50-1

